INFLUENCE OF PHYSIOGRAPHIC, EDAPHIC AND ANTHROPOGENIC FACTORS ON THE STRUCTURE, COMPOSITION AND SPECIES DIVERSITY OF VEGETATION IN THE MAZOWE BOTANICAL RESERVE, CHRISTON BANK.

by

TAKAENDESA MUJAWO

A thesis submitted in partial fulfilment of the requirements for the degree of Master of Science in Tropical Resource Ecology.

Tropical Resource Ecology Programme (TREP)
Department of Biological Sciences
Faculty of Science
University of Zimbabwe
July 2005

ABSTRACT

The influence of physiographic, edaphic and anthropogenic factors on vegetation structure, composition and diversity of Mazowe Botanic Reserve, Christon Bank, north of Harare, Zimbabwe was investigated. The sampled area was stratified according to aspect and slope position. Vegetation attributes and data on 14 environmental variables were recorded.

Detrended correspondence analysis grouped the plots into three clusters. Separation of these clusters was along a soil depth gradient, which was positively correlated with the Axis 1 (r = 0.89). Monte Carlo permutation tests on the CCA results indicated that, the influence of explanatory variables was significant (F = 2.24 P < 0.05) when all axes were combined. Soil depth, potassium, silt and pH significantly influenced species composition in the Botanic Reserve.

Physiographic, edaphic and anthropogenic factors had some influence on vegetation. Edaphic variables i.e. soil depth, pH, potassium and silt content were the major determinants of vegetation structure, composition and diversity in Mazowe Botanical Reserve.

AKNOWLEDGEMENTS

I thank Dr S Kativu, who was my supervisor for his guidance and helpful comments. I also wish to thank Dr Mapaure, who co-supervised this project.

Permission to conduct research in Mazowe Botanic Reserve was granted by the Head of Institute, National Herbarium and Botanic Garden, Harare for which I am grateful.

Special thanks also go to Mr W Mafukidze, Simbarashe Chivasa, Milton Mushuna and Emmanuel Mujawo for the assistance in the field. I am grateful to my wife Gladys, sons Takunda and Takudzwa for the support throughout the study period

DEDICATION

This work is dedicated to the glory of God almighty. I extend this dedication to my late parents, Mr and Mrs S. Mujawo (Chikava) who are now resting with the Lord.

CONTENTS

	PAGE
ABSTRACT	ii
ACKNOWLEDGEMENTS	iii
LIST OF TABLES.	vii
LIST OF FIGURES.	ix
LIST OF APPENDICES.	
1.0 INTRODUCTION.	1
1.1 Background	1
1.2 Justification	3
1.3 Aim	4
1.4 Objectives	4
1.5 Research Questions.	
1.6 Hypotheses	5
2.0 LITERATURE REVIEW	6
2.1 Savanna Determinants	6
2.2 Physiographic Factors	
2.3 Edaphic Factors	8
2.4 Anthropogenic Factors	13
3.0 STUDY AREA	21
3.1 Location	21
3.2 Climate	21
3.3 Geology and Geomorphology	23
3.4 Soils	23
3.5 Vegetation	
8.6 Human Activity	25

4.0 MATERIALS AND METHODS	
4.1 Sampling. 26 4.2 Dermacation of Plots. 27 4.3 Vegetation Inventory. 28 4.4 Explanatory Variables. 29 4.41 Edaphic factors. 29 4.42 Anthropogenic. 30 4.5 Other Factors. 30 4.6 Data Analysis. 30	
5.0 RESULTS	
5.1 Vegetation Classification335.2 Variations in Vegetation Structure355.3 Basal Area395.4 Species Diversity and Richness415.5 Edaphic Variables435.6 Fire and Woodcutting485.7 Rock Cover and Tree Density505.8 Main Gradients in Vegetation Composition515.9 Vegetation-environmental Relationships53	5
6.0 DISCUSSION57	7
6.1 Vegetation Classification	9

REFERENCES	73
APPENDICES	89

TABLES

5.1	Mean values of soil potassium, soil phosphorus and soil nitrogen for the aspects and slope levels in the Mazowe Botanical Reserve	44
5.2	Percentage number of Plots showing evidence of Fire and Woodcutting on three slopes in the Mazowe Botanical Reserve.	.48
5.3	Tree density/hectare and percentage rock cover along the three slopes in Mazowe Botanical Reserve	.51
5.4	Summary of the Detrended Correspondence Analysis (DCA) for Mazowe Botanical Reserve.	52
5.5	Summary of the Canonical Correspondence Analysis (CCA) for Mazowe Botanical Reserve.	55

FIGURES

Page	e
3.1 Map of Mazowe Botanical Reserve	,
5.1 Hierarchical cluster analysis of plots from three slopes on the basis of presence/absence data of woody and grass species, in Mazowe Botanical Reserve	
5.2 Size class distribution of woody species on the three slopes in Mazowe Botanical Reserve	
5.3 Size class distributions of woody species along the north-eastern, north and north-western slopes in Mazowe Botanical Reserve	7
5.4 Size class distribution of the dominant woody species along the slopes in Mazowe Botanical Reserve)
5.5 Differences in mean basal area of woody species (± SE) amongst the slopes in Mazowe Botanical Reserve	0
5.6 Differences in mean species diversity (± SE) with respect to aspect amongst three slopes in Mazowe Botanical Reserve	1
5.7 Differences in mean species diversity (± SE) amongst the different slope positions in Mazowe Botanical Reserve.	42
5.8 Differences in soil texture (± SE) among the slopes in Mazowe Botanical Reserve	15
5.9 Differences in soil moisture (± SE) amongst the aspects in Mazowe Botanical Reserve	6
5.10 Differences in soil moisture (± SE) amongst the slope positions along the three slopes in Mazowe Botanical Reserve	.7
5.11 Size class distribution of cut stumps along each slope in Mazowe Botanical Reserve	19

5.12 Proportions of the total number of cut stumps for selectively harvested tree species in Mazowe Botanical Reserve
5.13 Comparison of tree density amongst the slopes in Mazowe Botanical Reserve
5.14 Detrended Correspondence analysis (DCA) ordination diagram showing the separation of vegetation plots into two main groups related to edaphic (along Axis 1) and other gradients (along Axis 2)
5.15 A Canonical Correspondence Analysis ordination showing the distribution of the 45 plots in relation to available environmental factors in Mazowe Botanical Reserve
APPENDICES
Page
Appendix 1 List of plant species occurring in Mazowe Botanical Reserve
Appendix 2 Analysis of Variance for species and environmental

Appendix 3 Canonical Correspondence Analysis and Permutation tests for environ variables in Mazowe Botanic	mental
Reserve	97
Appendix 4 Chi-Square Tests on size class distributions in Mazowe Botanic	
Reserve	100