## **UNIVERSITY OF ZIMBABWE**

## **FACULTY F AGRICULTURE**

The undersigned certify that they have read, and recommended to the Department of Crop Science for acceptance, the thesis entitled:

Selection for high grain yield and determination of heritable variation in biomass yield, grain yield and harvest index in different plant height classes of breeding populations of spring wheat (*Triticum Aestivum* L.)

Submitted by **EPHRAME KUDZAISHE HAVAZVIDI** in partial fulfilment of the requirements of the degree of Doctor of Philosophy in Crop Science.

	Approved
	Dr. A.B Mashingaidze, Chairperson
Dr P. Tongoona Supervisor	Dr K. Pixley Supervisor
Date:	

## CONTENTS

LIST OF TABLESxiii					
LIST OF APPENDIX TABLESxvii					
LIST OF FIGURESxviii					
1. I	1. INTRODUCTION				
2. LITERATURE REVIEW6					
2	.1	Select	ion criteria6		
		2.1.1	Association between auxiliary traits and field crop grain yield		
			including their heritabilities6		
		2.1.2	Association between auxilliary traits		
		2.1.3.	Stability across environments		
2	.2	Genetic parameters.			
		2.2.1	Hereditary Variance and its estimation		
		2.2.2	Definition and estimation of Heritability		
		2.2.3	Correlation of characters		
		2.2.4	Response to selection and its prediction		
		2.2.5	Relative selection efficiency and the value of indirect selection36		
2	.3	Inheritance Studies			
		2.3.1	Detection of type of gene action		
		2.3.2	Estimate of gene effects using generation means		
		2.3.3	The nature and estimation of heterosis		
3. MATERIALS AND METHODS					
3	.1	Experimental sites and management of trials			
3	.2	Evalua	ation of Selection Criteria48		

	3.2.1	Spring wheat crosses used in the selection and their constituent
		parents49
	3.2.2	Sampling and selection procedure
	3.2.3	Evaluation of responding trait, grain yield and the auxiliary traits;
		biomass, earmass, harvest index, and plant height of single-ear
		progenies53
		3.2.3.1 Experiment 1:Evaluation of grain yield and estimation of
		it's heritability53
		3.2.3.2 Statistical analysis of grain yield data from experiment155
		3.2.3.3 Experiment 2 : Evaluation of single-ear progeny traits;
		biomass, earmass, HI and plant height61
	3.2.4	Associations between grain yield means in Experiment 1 and single-
		ear progeny traits measured in the accessions during the previous
		winter, 1993
	3.2.5	Associations among single-ear progeny traits, biomass, earmass, HI
		and plant height63
	3.2.6	Relative Selection Efficiency (RSE) of single-ear progeny traits;
		biomass, earmass and HI in the indirect selection for grainyield63
3.3	INHE	RITANCE STUDIES: Experiment 3
	3.3.1	Mating design and field experiments64
	3.3.2	Estimation of gene effects using generation means65
	3.3.3.	Estimation of heterosis
	3.3.4.	Estimation of heritabilities67
	3.3.5.	Association of single plant characters
4. RESULTS.		69

4.1	Results of experiment 1: Grain yield			
data		69		
	4.1.1	Grain yield performance of the genotypes of six spring		
		wheat populations	)	
	4.1.2	Entry-mean heritability estimates and genetic coefficients for		
		grain yield	3	
4.2	Result	ts of experiment 2: Single-ear progenies data	4	
	4.2.1	Biomass yield of single-ear progenies	5	
	4.2.2	Earmass of single-ear progenies	)	
	4.2.3	Harvest index of single-ear progenies	3	
	4.2.4	Plant height of single-ear progenies	8	
4.3	Assoc	iations between grain yield performance of wheat accessions and their		
	respec	etive single-ear progeny plot attributes90	١	
	4.3.1	Correlations between grain yield in large plots trials and single-ear		
		progeny plot biomass90		
	4.3.2	Correlation between grain yield in large plot trials and single-ear		
		progeny plot earmass		
	4.3.3	Correlation between grain yield in large plot trials and single-ear		
		progeny plot harvest index		
4.4	Interre	elationships of single-ear progeny plot traits96		
	4.4.1	Interrelationships of biomass, earmass, harvest index and plant		
		height of single-ear progeny plots in the unstratified populations96		
	4.4.2	Interrelationships of biomass, earmass, harvest index and plant		
		height of single-ear progeny plots in the short height stratum of six		

		wheat populations			
4.4.3	Interre	elationships of biomass, earmass, harvest index and plant			
	height	of single ear progeny plots in the tall height stratum of the			
	popula	ations			
4.5	Relati	ve Selection Efficiencies ( RSE) of indirectly selecting for high grain			
	yield ı	using biomass, earmass or harvest index of single ear progenies as			
	auxilia	ary traits			
	4.5.1	Relative Selection Efficiency ( RSE) of indirect over direct selection for			
		grain yield using single-ear progeny plot biomass as the auxiliary			
		trait			
	4.5.2	Relative Selection Efficiency (RSE) of indirect over direct selection			
		for grain yield using single-ear progeny plot earmass as the			
		auxiliary trait			
	4.5.3	Relative Selection Efficiency ( RSE) of indirect over direct selection			
		for grain yield using single-ear progeny plot harvest index as			
		the auxiliary trait			
4.6	Inheri	Inheritance of plant height, biomass, earmass, harvest index and number of			
	produ	productive tillers in a spring wheat cross			
	4.6.1	Generation means			
	4.6.2	Heterosis			
	4.6.3	Individual scaling tests			
	4.6.4	Joint scaling tests. 109			
		4.6.4.1 Estimates of additive, dominance and environmental			

		effects	109
		4.6.4.2 Estimates of digenic epistatic gene effects and the	
		environmental effects	.111
		4.6.4.3 Perfect fit digenic epistatic gene effects at individual	
		locations.	.113
		4.6.4.4 Estimates of the non – genotype x environment digenic	
		epistatic model	114
	4.6.5	Estimates of broad sense heritabilities (H <sup>2</sup> bs) and narrow sense	
		heritabilities (H <sup>2</sup> ns) of the five single plant characters in the two	
		locations.	116
	4.6.6	Single plant character associations	118
5 DISSCUS	SION		.118
5.1	Evalua	ation of selection criteria	118
	5.1.1	Grain yield performance of accessions and parents	.118
	5.1.2	Variation and means of single-ear progeny plot traits; biomass,	
		earmass, HI and plant height	119
	5.1.3	Entry-mean heritability estimates and genetic coefficients of variability	ility
		of grain yield in experiment 1 and single-ear progeny attributes in	
		experiment 2	.121
	5.1.4	Association between grain yield performance of wheat accessions	
		and their respective single-ear progeny traits	.126
	5.1.5	Interrelationships of single-ear progeny traits	.129
	5.1.6.	Relative selection efficiency of single-ear progeny traits; biomass,	

## earmass and harvest

index		130		
5.2.	Inheritance of grain yield, biomass, harvest index, number of tillers per plant			
	and pla	ant height in a spring wheat cross	141	
	5.2.1.	Inheritance of plant height	142	
	5.2.2.	Inheritance of Biomass.	144	
	5.2.3.	Inheritance of Earmass	145	
	5.2.4.	Inheritance of number of productive tillers per plant	146	
	5.2.5	Inheritance of plant harvest index.	147	
	5.2.6	Association of single plant traits; plant height, biomass, earmass,		
		number of productive tillers and harvest index	148	
6 CONCLUSI	ION		151	
REFERENCE	ES		157	
APPENDIXE	S		167	